Google™
Patent Search ☉ BETA

| master slave device manag control network | Search Patents | Advanced Patent Sea
Google Patent Search |

Patents

Patents **21 - 30** on **master slave device manag control network**. (0.04 seconds)

Did you mean: ***master slave device manager control network***

Phasor transducer apparatus and system for protection, control, and management of electricity ...
US Pat. 6694270 - Filed Feb 6, 2002 - Power Measurement Ltd.
Often, the **network** is composed of a large number of **slave** devices with a much
smaller number of **master** devices. A **master device** is any **device** that can query ...

Power monitor apparatus and method with object oriented structure
US Pat. 5650936 - Filed Dec 30, 1994 - CD Power Measurement Limited
In order for a **master device**, such as a PC 114. to determine the configuration
of a **slave device** without the **master device** having any previous knowledge of ...

Weld controller system for coupling to a common database system on a communication network ...
US Pat. 5808885 - Filed Dec 20, 1996 - Square D Company
Once the database **master** is in **control** of the **network** 50 as 15 the ... The **slave**
device's communication response is detailed in the flow chart of FIG. ...

Networked facilities management system
US Pat. 5522044 - Filed Jan 21, 1994 - Johnson Service Company
Network controller 42-5 operates as a **master** node relative to **slave** controllers
... requests made from peer **network control** nodes over the high speed bus. ...

Client/server data traffic delivery system and method
US Pat. 5913028 - Filed Oct 6, 1995 - Xpoint Technologies, Inc.
The instant invention generally comprises an intelligent **network** I/O **device**
capable of peer I/O, a bus **master** storage I/O **device**, software extensions to the ...

Apparatus and method for unilateral topology discovery in **network** management
US Pat. 6426947 - Filed Oct 21, 1998
3, there is shown a computer **network** first child **slave device** only. ... The **master**
hub and **slave** nodes are coupled fashion thereby allowing the use of ...

Method and system for **master slave** protocol communication in an intelligent electronic device
US Pat. 6792337 - Filed Dec 17, 2001 - Power Measurement Ltd.
The **master device's** 700 web server relay **network** 802 is a serial RS232 connection
... **master/slave device** 905 is also connected to **slave control** functions, ...

System architecture for remote access and **control** of environmental management
US Pat. 6266721 - Filed Oct 1, 1997 - Micron Electronics, Inc.
A **master** is the **device** which initiates a data transfer on the bus and ...
This highlights the **master- slave** and receiver-transmitter relationships to be ...

Method for compiling a **master** task definition data set for defining the logical data flow of a ...

US Pat. 4885684 - Filed Dec 7, 1987 - International Business Machines Corporation
35 An AU is relocatable, but the individual **control** blocks **SLAVE** ADDRESS If a
... sage BCB this field is not used. **device** they have been assigned. not used. ...

Network switch with a multiple bus structure and a bridge interface for transferring **network** ...

US Pat. 6098110 - Filed Dec 30, 1996 - Compaq Computer Corporation
Thus, the TPI acts as a **slave device** on the HSB to emulate the operation of one
... The TLAN **device** becomes the bus **master** and retrieves a **control** list from ...

◀ Gooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12   **Next**

| master slave device manag control network | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google

Google
Patent Search BETA

| master slave device manager control network | | **Search Patents** | Advanced Patent Sea
Google Patent Search |

Patents

Patents **1 - 10** on **master slave device manager control network**. (0.07 seconds)

Video conferencing **network**
US Pat. 5014267 - Filed Apr 6, 1989 - Datapoint Corporation
The data that it can return to the task scheduling program and **manager** then routes
this message to the **slave** 1211. then reset everything. The **Network Master ...**

Video conferencing **network**
US Pat. 4710917 - Filed Apr 8, 1985 - Datapoint Corporation
The data **manager** 1203 has a memory 1209 interfaced therewith and also has a **slave**
device 1211 interfaced with one port thereof and a **Network Master** (NM) **...**

Video conferencing **network**
US Pat. 4847829 - Filed Nov 25, 1987 - Datapoint Corporation
The data **manager** 1203 has a memory 1209 interfaced therewith and also has a **slave**
device 1211 interfaced with one port thereof and a **Network Master** (NM) **...**

Workstation for interfacing with a video conferencing **network**
US Pat. 4686698 - Filed Apr 8, 1985 - Datapoint Corporation
The data **manager** 1203 has a memory 1209 interfaced therewith and also has a **slave**
device 1211 interfaced with one port thereof and a **Network Master** (NM) **...**

Method of downloading information stored in an arching **device** to destination **network** controller ...
US Pat. 5463735 - Filed Feb 3, 1994 - Johnson Service Company
Each **network** controller functions as a **master control** node for operational **...**
For example, a **slave** controller type A hardware **manager** 18-37 is the database **...**

Method and system for **master** to **master** communication in **control** systems
US Pat. 6744771 - Filed Jun 9, 1999 - AMX Corporation
The **control network** according to claim 1, wherein said **device** is a **slave device**
controlled by said **master** controller. 7. The **control network** according to **...**

Weld controller system for coupling to a common database system on a communication **network** ...
US Pat. 5808885 - Filed Dec 20, 1996 - Square D Company
Once the database **master** is in **control** of the **network** 50 as 15 the ... The **slave**
device's communication response is detailed in the flow chart of FIG. **...**

Client/server data traffic delivery system and method
US Pat. 5913028 - Filed Oct 6, 1995 - Xpoint Technologies, Inc.
An interface to permit **control** messages to be passed from the **Network** I/O **Device**
driver to the Peer I/O **Manager** software component. **...**

Power monitor apparatus and method with object oriented structure
US Pat. 5650936 - Filed Dec 30, 1994 - CD Power Measurement Limited

Starting from the feature **manager** 400, a **master device**, such as PC 114, ...
the handle for the feature **manager** for any type of **slave device** is 2 in the ...

Network switch with a multiple bus structure and a bridge interface for transferring **network** ...
US Pat. 6098110 - Filed Dec 30, 1996 - Compaq Computer Corporation
A switch **manager** controls the flow of all **network** data through the switch while
... The TLAN **device** becomes the bus **master** and retrieves a **control** list from ...

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| master slave device manager control network | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google

| master and slave | Search Patents | Advanced Patent Sea
Google Patent Search |

Google Patent Search BETA

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Patents

Patents **1 - 10** on **master and slave**. (**0.38** seconds)

Electrical current source circuitry for a bus
US Pat. 5254883 - Filed Apr 22, 1992 - Rambus, Inc.
Slave contains eleven other sets of output transistors and output logic circuitry—one
set for each transmission line of bus 30. Within each **master** or **slave**, ...

Servosystem between a **master** actuator and a **slave** actuator
US Pat. 4510574 - Filed Aug 23, 1982 - Commissariat a l'Energie Atomique
Each movement of the **master** arm and each introduced into the transmission of the
signals. Under corresponding movement of the **slave** arm are carried these ...

Hierarchical communications system using microlink, data rate switching, frequency hopping and ...
US Pat. 5696903 - Filed Apr 29, 1994 - Norand Corporation
The **slave** device uses a binding protocol (discussed below Communication between
the **master and slave** devices is with regard to FIG. ...

Wireless access telephone-to-telephone network interface architecture
US Pat. 5305308 - Filed Oct 29, 1992 - AT&T Bell Laboratories
Controller 241 of **slave** cell 202 also sends a **master** cell 202 and service circuit
... Channel ele- nalling, channel elements 245 of both **master and slave** 45 ...

Wireless access telephone-to-telephone network interface architecture
US Pat. 5195090 - Filed Jul 9, 1991 - AT&T Bell Laboratories
elements 245 of both **master and slave** cells 202 that are handling ... 15 Once
again, the procedure begins with the **master and slave** cells 202 providing ...

System for parallel processing of complex read-only database queries using **master** and **slave** ...
US Pat. 5495606 - Filed Nov 4, 1993 - International Business Machines Corporation
... **master** ... **slave** ...

Bilateral **master-slave** manipulator control device
US Pat. 4661032 - Filed Dec 18, 1985 - Agency of Industrial Science & Technology, Ministry of International
Trade & Industry
It is possible to use an operation indicator such as a monitor display in place
of the initial state recovery connected between **master and slave** side ...

Force reflecting haptic interface
US Pat. 5625576 - Filed Oct 1, 1993 - Massachusetts Institute of Technology
1 2 FORCE REFLECTING HAPTIC INTERFACE Certain of such **master and slave** machine
systems, known BACKGROUND as ^orce reflecting systems, provide actuators such ...

Motion scaling tele-operating system with force feedback suitable for microsurgery
US Pat. 5382885 - Filed Aug 9, 1993 - The University of British Columbia

A robotic system as defined hi claim 1 further pect to build hi to the **master and slave**, characteristics comprising means for sensing forces applied to said ...

Method and apparatus for routing cell messages using delay

US Pat. 5317562 - Filed May 7, 1993 - Stratacom, Inc.
The source node is **"master"**. The other endpoint node is **"slave."** "Via" nodes are nodes on the route from **master** to **slave**. Connections to be rerouted are ...

master and slave	Search Patents

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search